



X-linked adrenal hypoplasia congenita

X-linked adrenal hypoplasia congenita is a disorder that mainly affects males. It involves many hormone-producing (endocrine) tissues in the body, particularly a pair of small glands on top of each kidney called the adrenal glands. These glands produce a variety of hormones that regulate many essential functions in the body.

One of the main signs of this disorder is adrenal insufficiency, which occurs when the adrenal glands do not produce enough hormones. Adrenal insufficiency typically begins in infancy or childhood and can cause vomiting, difficulty with feeding, dehydration, extremely low blood sugar (hypoglycemia), and shock. If untreated, these complications are often life-threatening.

Affected males may also have a shortage of male sex hormones, which leads to underdeveloped reproductive tissues, undescended testicles (cryptorchidism), delayed puberty, and an inability to father children (infertility). Together, these characteristics are known as hypogonadotropic hypogonadism.

The onset and severity of these signs and symptoms can vary, even among affected members of the same family.

Frequency

X-linked adrenal hypoplasia congenita is estimated to affect 1 in 12,500 newborns.

Genetic Changes

Mutations in the *NR0B1* gene cause X-linked adrenal hypoplasia congenita. The *NR0B1* gene provides instructions to make a protein called DAX1. This protein plays an important role in the development and function of several hormone-producing (endocrine) tissues including the adrenal glands, two hormone-secreting glands in the brain (the hypothalamus and pituitary), and the gonads (ovaries in females and testes in males). The hormones produced by these glands control many important body functions.

Some *NR0B1* mutations result in the production of an inactive version of the DAX1 protein, while other mutations delete the entire gene. The resulting shortage of DAX1 disrupts the normal development and function of hormone-producing tissues in the body. The signs and symptoms of adrenal insufficiency and hypogonadotropic hypogonadism occur when endocrine glands do not produce the right amounts of certain hormones.

Inheritance Pattern

This condition is inherited in an X-linked recessive pattern. A condition is considered X-linked if the mutated gene that causes the disorder is located on the X chromosome, one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation must be present in both copies of the gene to cause the disorder. Males are affected by X-linked recessive disorders much more frequently than females. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons.

In X-linked recessive inheritance, a female with one mutated copy of the gene in each cell is called a carrier. She can pass on the altered gene, but usually does not experience signs and symptoms of the disorder. In rare cases, however, females who carry a *NR0B1* mutation may experience adrenal insufficiency or signs of hypogonadotropic hypogonadism such as underdeveloped reproductive tissues, delayed puberty, and an absence of menstruation.

Other Names for This Condition

- Adrenal hypoplasia congenita
- X-linked AHC

Diagnosis & Management

These resources address the diagnosis or management of X-linked adrenal hypoplasia congenita:

- GeneReview: X-Linked Adrenal Hypoplasia Congenita
<https://www.ncbi.nlm.nih.gov/books/NBK1431>
- Genetic Testing Registry: Congenital adrenal hypoplasia, X-linked
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0342482/>
- MedlinePlus Encyclopedia: Adrenal Glands
<https://medlineplus.gov/ency/article/002219.htm>
- MedlinePlus Encyclopedia: Hypogonadotropic Hypogonadism
<https://medlineplus.gov/ency/article/000390.htm>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>

- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Adrenal Glands
<https://medlineplus.gov/ency/article/002219.htm>
- Encyclopedia: Hypogonadotropic Hypogonadism
<https://medlineplus.gov/ency/article/000390.htm>
- Health Topic: Adrenal Gland Disorders
<https://medlineplus.gov/adrenalglanddisorders.html>
- Health Topic: Male Infertility
<https://medlineplus.gov/maleinfertility.html>

Genetic and Rare Diseases Information Center

- X-linked adrenal hypoplasia congenita
<https://rarediseases.info.nih.gov/diseases/555/x-linked-adrenal-hypoplasia-congenita>

Additional NIH Resources

- NIH Clinical Center: Managing Adrenal Insufficiency
https://www.cc.nih.gov/ccc/patient_education/pepubs/mngadrins.pdf

Educational Resources

- Disease InfoSearch: Congenital adrenal hypoplasia, X-linked
<http://www.diseaseinfosearch.org/Congenital+adrenal+hypoplasia%2C+X-linked/7542>
- MalaCards: x-linked adrenal hypoplasia congenita
http://www.malacards.org/card/x_linked_adrenal_hypoplasia_congenita
- Orphanet: Cytomegalic congenital adrenal hypoplasia
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=95702

Patient Support and Advocacy Resources

- National Adrenal Diseases Foundation
<http://www.nadf.us/>

GeneReviews

- X-Linked Adrenal Hypoplasia Congenita
<https://www.ncbi.nlm.nih.gov/books/NBK1431>

Genetic Testing Registry

- Congenital adrenal hypoplasia, X-linked
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0342482/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22X-linked+adrenal+hypoplasia+congenita%22>

Scientific articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28x-linked+adrenal+hypoplasia+congenita%5BTIAB%5D%29+OR+%28congenital+adrenal+hypoplasia%5BTIAB%5D%29%29+OR+%28%28x-linked+ahc%5BTIAB%5D%29+OR+%28adrenal+hypoplasia+congenita%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D>

OMIM

- ADRENAL HYPOPLASIA, CONGENITAL
<http://omim.org/entry/300200>

Sources for This Summary

- Ahmad I, Paterson WF, Lin L, Adlard P, Duncan P, Tolmie J, Achermann JC, Donaldson MD. A novel missense mutation in DAX-1 with an unusual presentation of X-linked adrenal hypoplasia congenita. *Horm Res.* 2007;68(1):32-7. Epub 2007 Feb 16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17308433>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3479083/>
- Clipsham R, McCabe ER. DAX1 and its network partners: exploring complexity in development. *Mol Genet Metab.* 2003 Sep-Oct;80(1-2):81-120. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14567960>
- Fujieda K, Okuhara K, Abe S, Tajima T, Mukai T, Nakae J. Molecular pathogenesis of lipoid adrenal hyperplasia and adrenal hypoplasia congenita. *J Steroid Biochem Mol Biol.* 2003 Jun;85(2-5):483-9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12943739>
- Fujieda K, Tajima T. Molecular basis of adrenal insufficiency. *Pediatr Res.* 2005 May;57(5 Pt 2):62R-69R. Epub 2005 Apr 6. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15817507>
- GeneReview: X-Linked Adrenal Hypoplasia Congenita
<https://www.ncbi.nlm.nih.gov/books/NBK1431>

- Hammer GD, Parker KL, Schimmer BP. Minireview: transcriptional regulation of adrenocortical development. *Endocrinology*. 2005 Mar;146(3):1018-24. Epub 2004 Dec 16. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15604207>
- Lalli E, Sassone-Corsi P. DAX-1, an unusual orphan receptor at the crossroads of steroidogenic function and sexual differentiation. *Mol Endocrinol*. 2003 Aug;17(8):1445-53. Epub 2003 May 29. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12775766>
- Ludbrook LM, Harley VR. Sex determination: a 'window' of DAX1 activity. *Trends Endocrinol Metab*. 2004 Apr;15(3):116-21. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15046740>
- Mantovani G, De Menis E, Borretta G, Radetti G, Bondioni S, Spada A, Persani L, Beck-Peccoz P. DAX1 and X-linked adrenal hypoplasia congenita: clinical and molecular analysis in five patients. *Eur J Endocrinol*. 2006 May;154(5):685-9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16645015>
- Sehgal A, Stack J. Complex glycerol kinase deficiency: an X-linked disorder associated with adrenal hypoplasia congenita. *Indian J Pediatr*. 2005 Jan;72(1):67-9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15684452>
- Tabarin A. Congenital adrenal hypoplasia and DAX-1 gene mutations. *Ann Endocrinol (Paris)*. 2001 Apr;62(2):202-6. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11353895>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/x-linked-adrenal-hypoplasia-congenita>

Reviewed: April 2008

Published: January 24, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services